

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L2	15	region near3 "under diaphragm"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 10:17	
2	BRS	L3	833	micromechanical and (device component).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 10:18	
3	BRS	L4	3889	micromechanical and (device sensor component),ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 10:18	
4	BRS	L5	1252	micromechanical and (device sensor component).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 10:19	
5	BRS	L6	2	5 and "dew point sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/28 10:20	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L7	1	6 and diaphragm	USPAT; US-P GPUB ; EPO; JPO; DERW ENT	2003/10/28 10:20	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0

	Error Definition	Er ro rs
6		0